

1. Installation Seafile 13

We will install Seafile again in our docker vm by using Dockhand. For that we need to make sure that we have a place for all the data, which in our case will be an NFS share hosted on our TrueNas VM. Then the next step is of course to look up the docker compose file and deploy it to our needs. The docker compose file can be obtained by downloading it to your machine via [Seafile 13](#). People are working on seafile 14 as we speak. So this documentation might be outdated again on the moment you are reading this. Just make sure you check the [general website](#) for the latest edition. So this one right now is focused on **Seafile 13**. Once 14 will be available we will update the instructions below.

Now! at this moment I don't have a running seafile 13 yet! So I still need to work on this as a project in the future. What I do realize is that you need to have root running for the storage folder. You can also do this without root but also I don't know yet how to do that. For now make sure your TrueNas NFS share has root as the owner.

- 1. Make sure you have compose.yml**
- 2. Also you need to run seadoc if you want to have the wiki function. Make sure you copy paste the values from the seafile mysql database**
- 3. Create an .env file that serves compose.yml and the seadoc file**

compose.yml

```
services:
  db:
    image: ${SEAFILE_DB_IMAGE:-mariadb:10.11}
    container_name: seafile-mysql
    restart: unless-stopped
    environment:
      - MYSQL_ROOT_PASSWORD=${INIT_SEAFILE_MYSQL_ROOT_PASSWORD:-}
      - MYSQL_LOG_CONSOLE=true
      - MARIADB_AUTO_UPGRADE=1
    volumes:
      - "${SEAFILE_MYSQL_VOLUME:-/opt/seafile-mysql/db}:/var/lib/mysql"
    networks:
      - seafile-net
```

```
healthcheck:
  test:
    [
      "CMD",
      "/usr/local/bin/healthcheck.sh",
      "--connect",
      "--mariadbupgrade",
      "--innodb_initialized",
    ]
  interval: 20s
  start_period: 30s
  timeout: 5s
  retries: 10
```

```
redis:
  image: ${SEAFIRE_REDIS_IMAGE:-redis}
  container_name: seafire-redis
  restart: unless-stopped
  command:
    - /bin/sh
    - -c
    - redis-server --requirepass "${REDIS_PASSWORD}"
  environment:
    - REDIS_PASSWORD=${REDIS_PASSWORD:-}
  networks:
    - seafire-net
```

```
seafire:
  image: ${SEAFIRE_IMAGE:-seafireltd/seafire-mc:13.0-latest}
  container_name: seafire
  restart: unless-stopped
  # ports:
  #   - "80:80"
  volumes:
    - ${SEAFIRE_VOLUME:-/opt/seafire-data}:/shared
  environment:
    - SEAFIRE_MYSQL_DB_HOST=${SEAFIRE_MYSQL_DB_HOST:-db}
    - SEAFIRE_MYSQL_DB_PORT=${SEAFIRE_MYSQL_DB_PORT:-3306}
    - SEAFIRE_MYSQL_DB_USER=${SEAFIRE_MYSQL_DB_USER:-seafire}
```

```

- SEAFILE_MYSQL_DB_PASSWORD=${SEAFILE_MYSQL_DB_PASSWORD:?Variable is not set or
empty}
- INIT_SEAFILE_MYSQL_ROOT_PASSWORD=${INIT_SEAFILE_MYSQL_ROOT_PASSWORD:-}
- SEAFILE_MYSQL_DB_CCNET_DB_NAME=${SEAFILE_MYSQL_DB_CCNET_DB_NAME:-ccnet_db}
- SEAFILE_MYSQL_DB_SEAFILE_DB_NAME=${SEAFILE_MYSQL_DB_SEAFILE_DB_NAME:-seafile_db}
- SEAFILE_MYSQL_DB_SEAHUB_DB_NAME=${SEAFILE_MYSQL_DB_SEAHUB_DB_NAME:-seahub_db}
- TIME_ZONE=${TIME_ZONE:-Etc/UTC}
- INIT_SEAFILE_ADMIN_EMAIL=${INIT_SEAFILE_ADMIN_EMAIL:-me@example.com}
- INIT_SEAFILE_ADMIN_PASSWORD=${INIT_SEAFILE_ADMIN_PASSWORD:-asecret}
- SEAFILE_SERVER_HOSTNAME=${SEAFILE_SERVER_HOSTNAME:?Variable is not set or empty}
- SEAFILE_SERVER_PROTOCOL=${SEAFILE_SERVER_PROTOCOL:-http}
- SITE_ROOT=${SITE_ROOT:-/}
- NON_ROOT=${NON_ROOT:-false}
- JWT_PRIVATE_KEY=${JWT_PRIVATE_KEY:?Variable is not set or empty}
- SEAFILE_LOG_TO_STDOUT=${SEAFILE_LOG_TO_STDOUT:-false}
- ENABLE_GO_FILESERVER=${ENABLE_GO_FILESERVER:-true}
- ENABLE_SEADOC=${ENABLE_SEADOC:-true}
- SEADOC_SERVER_URL=${SEAFILE_SERVER_PROTOCOL:-
http}://${SEAFILE_SERVER_HOSTNAME:?Variable is not set or empty}/sdoc-server
- CACHE_PROVIDER=${CACHE_PROVIDER:-redis}
- REDIS_HOST=${REDIS_HOST:-redis}
- REDIS_PORT=${REDIS_PORT:-6379}
- REDIS_PASSWORD=${REDIS_PASSWORD:-}
- MEMCACHED_HOST=${MEMCACHED_HOST:-memcached}
- MEMCACHED_PORT=${MEMCACHED_PORT:-11211}
- ENABLE_NOTIFICATION_SERVER=${ENABLE_NOTIFICATION_SERVER:-false}
- INNER_NOTIFICATION_SERVER_URL=${INNER_NOTIFICATION_SERVER_URL:-
http://notification-server:8083}
- NOTIFICATION_SERVER_URL=${NOTIFICATION_SERVER_URL:-${SEAFILE_SERVER_PROTOCOL:-
http}://${SEAFILE_SERVER_HOSTNAME:?Variable is not set or empty}/notification}
- ENABLE_SEAFILE_AI=${ENABLE_SEAFILE_AI:-false}
- ENABLE_FACE_RECOGNITION=${ENABLE_FACE_RECOGNITION:-false}
- SEAFILE_AI_SERVER_URL=${SEAFILE_AI_SERVER_URL:-http://seafile-ai:8888}
- SEAFILE_AI_SECRET_KEY=${JWT_PRIVATE_KEY:?Variable is not set or empty}
- MD_FILE_COUNT_LIMIT=${MD_FILE_COUNT_LIMIT:-100000}
labels:
  caddy: ${SEAFILE_SERVER_PROTOCOL:-http}://${SEAFILE_SERVER_HOSTNAME:?Variable is not
set or empty}
  caddy.reverse_proxy: "{{upstreams 80}}"

```

```
healthcheck:
  test: ["CMD-SHELL", "curl -f http://localhost:80 || exit 1"]
  interval: 30s
  timeout: 10s
  retries: 3
  start_period: 10s
depends_on:
  db:
    condition: service_healthy
  redis:
    condition: service_started
networks:
  - seafile-net
```

```
networks:
  seafile-net:
    name: seafile-net
```

.env

```
#####
# Docker compose configurations #
#####
COMPOSE_FILE='seafile-server.yml,caddy.yml,seadoc.yml'
COMPOSE_PATH_SEPARATOR=', '

## Images
SEAFILE_IMAGE=seafileltd/seafile-mc:13.0-latest
SEAFILE_DB_IMAGE=mariadb:10.11
SEAFILE_REDIS_IMAGE=redis
SEAFILE_CADDY_IMAGE=lucaslorentz/caddy-docker-proxy:2.12-alpine
SEADOC_IMAGE=seafileltd/sdoc-server:2.0-latest
NOTIFICATION_SERVER_IMAGE=seafileltd/notification-server:13.0-latest
```

```
MD_IMAGE=seafileltd/seafile-md-server:13.0-latest
```

```
## Persistent Storage
```

```
BASIC_STORAGE_PATH=/opt
```

```
SEAFILE_VOLUME=$BASIC_STORAGE_PATH/seafile-data
```

```
SEAFILE_MYSQL_VOLUME=$BASIC_STORAGE_PATH/seafile-mysql/db
```

```
SEAFILE_CADDY_VOLUME=$BASIC_STORAGE_PATH/seafile-caddy
```

```
SEADOC_VOLUME=$BASIC_STORAGE_PATH/seadoc-data
```

```
#####
```

```
#      Startup parameters      #
```

```
#####
```

```
SEAFILE_SERVER_HOSTNAME=seafile.example.com
```

```
SEAFILE_SERVER_PROTOCOL=http
```

```
TIME_ZONE=Etc/UTC
```

```
JWT_PRIVATE_KEY=
```

```
#####
```

```
# Third-party service configuration #
```

```
#####
```

```
## Database
```

```
SEAFILE_MYSQL_DB_HOST=db
```

```
SEAFILE_MYSQL_DB_USER=seafile
```

```
SEAFILE_MYSQL_DB_PASSWORD=PASSWORD
```

```
SEAFILE_MYSQL_DB_CCNET_DB_NAME=ccnet_db
```

```
SEAFILE_MYSQL_DB_SEAFILE_DB_NAME=seafile_db
```

```
SEAFILE_MYSQL_DB_SEAHUB_DB_NAME=seahub_db
```

```
## Cache
```

```
CACHE_PROVIDER=redis # or memcached
```

```
### Redis
```

```
REDIS_HOST=redis
```

```
REDIS_PORT=6379
```

```
REDIS_PASSWORD=
```

```
### Memcached
```

MEMCACHED_HOST=memcached

MEMCACHED_PORT=11211

#####

Initial variables

(Only valid in first-time startup)

#####

Database root password, Used to create Seafile users

INIT_SEAFILE_MYSQL_ROOT_PASSWORD=ROOT_PASSWORD

Seafile admin user

INIT_SEAFILE_ADMIN_EMAIL=me@example.com

INIT_SEAFILE_ADMIN_PASSWORD=asecret

#####

Additional configurations for extensions

Seafile AI

ENABLE_SEAFILE_AI=false

ENABLE_FACE_RECOGNITION=false

SEAFILE_AI_LLM_TYPE=openai

SEAFILE_AI_LLM_URL=

SEAFILE_AI_LLM_KEY= # your llm key

SEAFILE_AI_LLM_MODEL=gpt-4o-mini

Metadata server

MD_FILE_COUNT_LIMIT=100000

#####

SeaDoc service

ENABLE_SEADOC=true

Notification

ENABLE_NOTIFICATION_SERVER=false

NOTIFICATION_SERVER_URL=

compose.yml

```
services:
  db:
    image: mariadb:10.11
    container_name: seafile-db
    environment:
      - MYSQL_ROOT_PASSWORD=${SEAFILE_PASSWORD}
      - MYSQL_LOG_CONSOLE=true
      - MARIADB_AUTO_UPGRADE=1
    volumes:
      - ./mysql:/var/lib/mysql
    restart: unless-stopped
    healthcheck:
      test: ["CMD", "healthcheck.sh", "--connect", "--innodb_initialized"]
      interval: 20s
      start_period: 30s
      timeout: 5s
      retries: 10

  redis:
    image: redis:7
    container_name: seafile-redis
    restart: unless-stopped
    healthcheck:
      test: ["CMD", "redis-cli", "ping"]
      interval: 20s
      timeout: 5s
      retries: 5

  seafile:
    image: seafileltd/seafile-mc:13.0-latest
    container_name: seafile
    ports:
      - "1026:80"
    volumes:
      - /mnt/seafile:/shared
    environment:
      # Core
```

```

- SEAFIELD_SERVER_HOSTNAME=${SEAFIELD_SERVER_HOSTNAME}
- SEAFIELD_SERVER_PROTOCOL=${SEAFIELD_SERVER_PROTOCOL}
- TIME_ZONE=${TIME_ZONE}
- JWT_PRIVATE_KEY=${JWT_PRIVATE_KEY}

# Database
- DB_HOST=db
- DB_ROOT_PASSWD=${SEAFIELD_PASSWORD}
- SEAFIELD_MYSQL_DB_HOST=db
- SEAFIELD_MYSQL_DB_USER=seafild
- SEAFIELD_MYSQL_DB_PASSWORD=${SEAFIELD_PASSWORD}
- SEAFIELD_MYSQL_DB_CCNET_DB_NAME=ccnet_db
- SEAFIELD_MYSQL_DB_SEAFIELD_DB_NAME=seafild_db
- SEAFIELD_MYSQL_DB_SEAHUB_DB_NAME=seahub_db

# Cache
- CACHE_PROVIDER=redis
- REDIS_HOST=redis
- REDIS_PORT=6379

# First-run admin bootstrap (ignored on subsequent starts)
- INIT_SEAFIELD_ADMIN_EMAIL=${SEAFIELD_ADMIN_EMAIL}
- INIT_SEAFIELD_ADMIN_PASSWORD=${SEAFIELD_PASSWORD}
- INIT_SEAFIELD_MYSQL_ROOT_PASSWORD=${SEAFIELD_PASSWORD}
depends_on:
  db:
    condition: service_healthy
  redis:
    condition: service_healthy
restart: unless-stopped

```

.env

```

# ==== Hostname ====

# Bake-in on first run - the domain or IP:port you will actually use to reach Seafild.

# Do NOT change after first boot without also editing conf/seahub_settings.py.

```

```
SEAFILE_SERVER_HOSTNAME=10.69.1.106
```

```
SEAFILE_SERVER_PROTOCOL=http
```

```
TIME_ZONE=Europe/Amsterdam
```

```
# ==== Secrets ====
```

```
# Paste the output of: openssl rand -base64 40
```

```
JWT_PRIVATE_KEY=m41h+mivVsScLtvik+ebyiPvyjlhiZ1HgeIAj5J92aQqnda7uLkQ==
```

```
# ONE password used for everything: MariaDB root, Seafile's DB user, and the Seafile web admin.
```

```
# Pick a strong unique value.
```

```
SEAFILE_PASSWORD=NKetpcGDPqCXGLBYATTTZ26E438Ns1F0PoqlUX0Qe0GmgsEYSBToAg==
```

```
# Admin email for the first-boot web UI login (only used on first startup).
```

```
SEAFILE_ADMIN_EMAIL=dp@p2pnode.org
```

Revision #12

Created 2026-07-18 19:49:48 UTC by dpasn

Updated 2026-07-18 23:10:48 UTC by dpasn